

KNOW THE BEAUTY OF INNOVATION

Full Composite Entry System

Fiberglass Doors I PF Frames I Decorative Glass I Accessories













ANEL OPTIONS

CONTENTS

3		ABOUT US	8/0 89	PRISCILLA
4		QUALITY	90 91	CAMELIA SOLSTICE
5		HYDROSHIELD TECHNOLOGY	92	ARTESANO
5			93 94	ARTESANO BREEZE FONTAINEBLEAU
6		RELIABILITY	95	KENSINGTON
7		CHOICE	96	ABERDEEN
		DEIM EDAMEO	98	SPRING CASTILE
8		PF™ FRAMES	100	BRENTWOOD
13		DOORLITES	103	DIRECT GLAZED CRAFTSMAN
14		GLASS FAMILIES	108	TRUE WHITE OAK SERIES
16		TRANSOMS	6/8 109	PRISCILLA/ CAMELIA SOLSTICE
17		MODERN SERIES	111	ARTESANO
0.1		CHERRY SERIES	112	
21		CHERRY SERIES	114 115	
23		RUSTIC SERIES	116	SPRING
	24	PRISCILLA	118 119	CASTILE BRENTWOOD
	26	CAMELIA	119	BRENTWOOD
32		MAHOGANY SERIES	121	ONELITE SERIES
	33	ABERDEEN/ SOLSTICE	6/8 122	
	34 35	FONTAINEBLEAU/ KENSINGTON ARTESANO/ ARTESANO BREEZE	8/0 126	
	36	SPRING/ CASTILE	ADA 131	
	37	BRENTWOOD/ CAMELIA	133	TRIMMABLE SERIES
	38	PRISCILLA	134	WOODGRAIN
39		FIR GRAIN SERIES	135	SMOOTH SKIN
		WOODODAIN O CHOOTH OVIN OFFICE	137	FIRE RATED SERIES
45		WOODGRAIN & SMOOTH SKIN SERIES	6/8 138	20 MIN
6/8	46 48	PRISCILLA CAMELIA	7/0 142	20 MIN
		SOLSTICE	8/0 143	20 MIN 60 / 90 MIN
	53	ARTESANO	144	00 / 90 WIIN
	56 59	ARTESANO BREEZE FONTAINEBLEAU	145	IMPACT SERIES
	62	KENSINGTON	146	WOODGRAIN
	65	ABERDEEN	147	SMOOTH SKIN
	67 70	SPRING CASTILE	148	RUSTIC
	73	BRENTWOOD	149	ACCESSORIES
7/0	76 78	DIRECT GLAZED CRAFTSMAN SMOOTH SKIN PRISCILLA/ CAMELIA	154	STAINING & PAINTING GUIDES
770	79	SOLSTICE	161	PLASTPRO LEED CONTRIBUTIONS
	80 81	ARTESANO ARTESANO BREEZE	160	STAIN KIT
	82	KENSINGTON	162	STAIN KII
	83	FONTAINEBLEAU/ ABERDEEN	163	DOORABILITY TOOL
	85 86	SPRING CASTILE		

BRENTWOOD



Old world craftsmanship meets new world technology to make Plastpro Fiberglass Entry Doors the most advanced products available on the market today. Since 1994, Plastpro has been a market leader gained through the development of our exclusive Hydroshield Technology™. With the introduction of a full line PF™ Frames and Door Accessories, Plastpro is dedicated to provide the best products on the market today.

VERTICAL INTEGRATION

Since 1954, the world-renowned Formosa Plastics Group and one of its leading companies, Nan Ya Plastics Corporation, have offered customers top quality products at the greatest value. While other manufacturers outsource products and components, Plastpro can boast total vertical integration as part of the Formosa Plastics family companies, ensuring everything we do meets our rigorous standards. Our commitment to quality is backed by extensive research and technological developments that ensure consistent innovative products.

INNOVATIVE RESEARCH AND DEVELOPMENT

Vertical integration means that we can focus on improving each individual door component. By maintaining control over each stage of development, from raw materials to finished product, Plastpro has the power and flexibility to innovate every aspect of our manufacturing and products. Plastpro breakthrough products, offers the widest possible choice of product designs, colors, and sizes. Over the past 10 years, Plastpro has introduced Hydroshield Technology™, BTHP™ Snap-On Frames, and our versatile PF™™Frames line of composite doorframes.

ISO 9001 AND ISO 14000 DESIGNATION

Plastpro products have achieved world recognition through ISO 9001 and ISO 14000 designations for strict adherence to leading international quality standards.

TAKING ACTIVE STEPS TO PROTECT THE ENVIRONMENT

As part of our ongoing commitment to responsible environmental practices, we are proud to be Partners in the U.S. Government's Energy Star Program. As an Energy Star Partner, our products have been shown to meet regional standards for energy efficiency and conservation. Research shows that engineered lumber uses smaller pieces of fast-growing wood to obtain the same sizes as lumber from old-growth forests, but with more durability and strength. As a Built Green member, Plastpro products

make a difference for the environment while being a cost effective alternative for our customers.

BACKED BY WARRANTY

We are proud to offer some of the best warranties in the industry. Plastpro Trimmable, Rustic, Mahogany, Woodgrain, Fir Grain doors, and PF Frames carry a Limited

Lifetime Warranty; Smooth Skin and True White Oak doors, Onelite Flush Glazed doors carry a 25-Year Limited Warranty. Plastpro Doorlites carry a 10-year Limited Warranty. Pre-finished doors carry a 5-Year warranty on factory stained finish.

Plastpro's 200,000 square-foot, fully automated manufacturing facility in Ashtabula, Ohio is the most advanced in the door industry. Plastpro's innovative manufacturing methods include our fully integrated, computer-controlled system that enables greater product consistency and enhanced employee safety. As one of the most highly skilled and experienced manufacturing workforces in the nation with expertise in the molding and assembly technologies, we have up to 400 percent greater productivity than traditional manufacturing operations. By carefully controlling every phase of manufacturing, Plastpro can ensure the integrity and quality of every product.

plastpro

PATENTED HYDROSHIELD TECHNOLOGY™

Our exclusive water-resistant seal protects our doors against water infiltration on all six sides to prevent warping, delamination, corrosion, rotting, and the build up of mold and mildew. This Hydroshield seal consists of:

FIBERGLASS REINFORCED DOOR SKINS

Our high-impact compression molded skins will not splinter, dent, warp, rot or rust. Surfaces are easy to stain, paint and easy to clean.

FULL-LENGTH COMPOSITE STILES

Our full-length composite stiles provide complete waterproofing for the door's insulation and have twice the screw-holding power of traditional wood-edged doors. Our doors will never splinter like wood or delaminate like steel.

COMPOSITE TOP & BOTTOM RAILS

High strength composite top and bottom rails prevent moisture from seeping into the door. Bottom rails accommodate a range of door sweeps.

BTHP™ SNAP-ON DOORLITE FRAMES

Our exclusive BTHP™ Snap-on Frames employ a series of specially designed clips that lock decorative glass firmly in place. Our BTHP™™ Frames have no unsightly plugs or screws, and create a cleaner, more natural appearance in any entryway.

EXTENDED LOCKBLOCK

Our extended lockblock allows a range of door locks and hardware to be installed into our doors.

ENVIRONMENTALLY SOUND POLYURETHANE FOAM CORE

While some other fiberglass door manufacturers still use HCFC-free foam, we are proud to offer a door that is completely CFC-free, in compliance with the United States environmental standards to prevent destruction to the Earth's ozone layer. The advanced polyurethane core enhances the door's soundproofing capabilities and provides insulation six times greater than wood doors.



FLUSH GLAZED DOOR





FIRE RATED DOOR





PATENTED HYDROSHIELD TECHNOLOGY™

Our exclusive Hydroshield Technology™ features fiberglass reinforced door skins, full-length composite stiles, and composite top & bottom rails to prevent water infiltration on all six sides.



FULL LENGTH COMPOSITE TOP AND BOTTOM RAILS: Additional non-porous protection keeps water from seeping into the door and helps prevent the build up of mold or mildew.

FIBERGLASS REINFORCED SKIN: Fiberglass is unmarred by the wear and tear of everyday use and is unaffected by moisture and humidity. Our doors will not rot, splinter or warp like wood, and won't dent or delaminate like steel.

FULL LENGTH COMPOSITE STILES: All Plastpro fiberglass entry doors feature fully composite stiles to prevent water infiltration into the door's insulation and to ensure warp free, rot free and rust free doors.


TRIPLE PANE DECORATIVE GLASS: Our decorative doorlites provide excellent thermal protection while adding beauty and sophistication to your entryway.

BTHP™ DOORLITE FRAMES: Our exclusive frames create a completely unblemished surface around the decorative doorlite for an attractive appearance without unsightly screws or mismatched plugs.

WROUGHT IRON DOORLITE FRAMES: Specially engineered to complement the range of cutouts in the Rustic Series, each frame is beautifully hand made and has a durable powder coat finish. Available for all Wrought Iron doorlite collections.

ARCHITECTURALLY CORRECT PROPORTIONS: Plastpro doors are designed with beautifully detailed panels that are identical to traditional wood door construction to create crisper shadow lines and heightened curb appeal.

INSULATED CORE: Our environmentally friendly insulation is 100% CFC-free and provides a high R-value for maximum thermal protection.



plastpro doors have been put through a rigorous battery of tests, first in our own testing lab and again by an independent testing facility. Our results meet or exceed the Florida Building Standards. For more specific testing results, please see our website at www.plastproinc.com or visit the Florida Department of Community Affairs at www.floridabuilding.org.



TESTING RESULTS BY ETC LABORATORY

ASTM D1761	Screw Holding Capacity Test	ASTM C 518 ASTM	Thermal Transmittance Impact / Cycle Test
ASTM F1450 Sec.7.3	Door Static Load Test	E1886/E1996	
ASTM D-1666	Machining Test of Wood Materials	TAS 201	Impact Test
		TAS 202	Air/ Water/ Structural Test
ASTM E 283	Air Infiltration	TAS 203	Cycle Test
ASTM E 331	Water Infiltration	THERMAL TESTING	NFRC 100-2004, NFRC 102-2004, NFRC 200-2004, NFRC 500-2004
ASTM E 547	Water Infiltration	STC RATING	Rating = 29
ASTM E 330	Uniform Structural Load	FIRE - RATED	NFPA 252, ASTM E2074, ANSI/UL 10C
ASTM E 90	Sound Transmission	TINE - NATED	20 Minutes Fire-Rated Door Warnock Hersey Certified

Plastpro understands the importance of your home as a reflection of who you are. That's why we've designed a range of doors and glass options to help express a character that is undeniably yours.

PRODUCT STYLE

Our selection of door styles ranges from classic to contemporary and are inspired from East to West. Plastpro provides a wide range of styles, textures, and sizes to fit most home designs.

SIZE

Plastpro doors come in standard widths of 3'0" and 3'6", and heights of 6'8", 7'0" and 8'0". Select doors may also be ordered in widths from 2'6". Please see each door collection for further details.

DOOR SKIN

Through years of manufacturing experience and advanced manufacturing methods, Plastpro is proudly offers doors in the following graining options:

RUSTIC



Shown in Moorish Teak

MAHOGANY



Shown in Mahogany

WOODGRAIN



Shown in Cherry

FIR GRAIN



Shown in Aged Oak

CHERRY



Shown in Cherry

TRUE WHITE OAK



SMOOTH SKIN



PF™ FRAMES

PF[™] Frames from Plastpro, Inc. are innovative new alternative to traditional wood door jambs. After extensive research and development, Plastpro formulated poly-fiber doorframe system that combines all the strength and convenience of wood but with enhanced properties to resist moisture, rot, and insect penetration. This unique formulation means that Plastpro's PF^{TM} Frames will not absorb or wick moisture and remain warp free, splinter free and rot free. The advanced PF^{TM} Frame system can be machined the same way as traditional wood jambs with no added hassles. Plastpro's PF^{TM} Frames guarantee a long-lasting, rot-free entryway that will maintain its integrity today, tomorrow, as well as many years to come.





PF™ FRAMES FEATURES & BENEFITS

CLOSED CELLULAR STRUCTURE ensures doorframe & molding will not absorb or wick moisture, and prevents warping, rotting, and splitting

RIGID POLY-FIBER FORMULATION eliminates the need for an aluminum support channel

TWICE THE SCREW-HOLDING POWER of traditional wood doorframes

EASILY MACHINED just like wood frames

VARIOUS LENGTHS





PRIME



PLASTPRO PF™ FRAME *with HydroShield Technology™

WOOD FRAME

PRODUCT NAME	PRODUCT DESCRIPTION	SIZE	PRODUCT NUMBER
BACKBAND	PRIMED	4.528″ x 17′	PFBMSW1B44000
SIDELITE STOPPER	PRIMED	.551″ x 8′ 4″	PFSTSW0P0E000
OIDEETTE OTOTTEK	EMBOSSED	.551″ x 8′ 4″	PFSTGT0P0E000
		,	
	PRIMED	3.21″ x 6′ 8″	ASSW79
ASTRAGAL	PRIMED	3.21″ x 8′ 0″	ASSW95
	EMBOSSED	3.21″ x 6′ 8″	ASGT79
	EMBOSSED	3.21″ x 8′ 0″	ASGT95

PF™ FRAMES

*PF™ Frames shown in primed



4-9/16" DOORFRAME



5-1/4" DOORFRAME



6-9/16" DOORFRAME



7-1/4" DOORFRAME



WM180 BRICKMOLD



WM176 FLORIDA BRICKMOLD



1-1/2" x 1" MULL COVER



2" x 1" MULL COVER



1" x 2" STUCCOMOLD



PRIMED BACKBAND



PRIMED ASTRAGAL



PRIMED SIDELITE STOPPER



NAILING FIN



J-CHANNEL



FLAT CASING



FLAT CASING J-CHANNEL



1-1/4" X 3" JAMB EXTENSION



1" X 2-1/2" STORM DOOR EXTENSION



1" X 3" STORM DOOR EXTENSION



4-9/16" TRANSOM SILL



6-9/16" TRANSOM SILL




MULL POST W/ LVL-3P 1-1/2"X 3-9/16" X 2-1/2" 1"X 3-9/16" X 2" 1-1/2"X 4-3/8" X 2-1/2" 1"X 4-3/8" X 2"

	4-9/16" DOORFRAME	5-1/4" Doorframe	6-9/16" Doorframe	7-1/4" DOORFRAME	1"x 2" Stuccomold	WM 180 Brickmold	FLORIDA Brickmold	MULL COVER	JAMB/ STORM Door Extension
EMBOSSED	•	•	•	•		•	•	•	•
PRIMED	•	•	•	•	•	•	•	•	•
WHITE CAPPED	•	•	•	•		•			•
MAHOGANY	•		•			•		•	•
FIR GRAIN	•		•			•		•	•

	NAILING FIN	J-CHANNEL	FLAT CASING	FLAT CASING J-CHANNEL	TRANSOM SILL	MULL POST W/ LVL-3P
EMBOSSED	•	•	•	•	•	•
PRIMED	•	•	•	•	•	•
WHITE CAPPED	•	•	•	•	•	•
MAHOGANY					•	
FIR GRAIN					•	



EMBOSSED Ready to Stain



MAHOGANY Ready to Stain



FIR GRAIN Ready to Stain



WHITE CAPPED
No Paint Required



PRIMED
Ready to Paint

PF™ FRAMES ARCH & RADIUS HEADER KITS

Plastpro is the only fiberglass door manufacturer able to offer fully composite frames to match arch or radius top doors. Plastpro Arch Header and Radius Header Kits are available for widths of 3/0 and 3/6.

PF™ FRAMES ARCH HEADER KIT

MATCHING DOOR	MATCHING KIT CODE	PRODUCT DIMENSION
DRA2C	PFG043068AK	4-9/16" Arch Frame & Brickmold
DRA2E	PFG063068AK	6-9/16" Arch Frame & Brickmold
DRAPC DRAPC70	PFG043080AK	4-9/16" Arch Frame & Brickmold
DRAPC80, DRA1C80, DRA2C80	PFG063080AK	6-9/16" Arch Frame & Brickmold
DRAPC-36, DRA2E-36 DRAPC70-36	PFG043680AK	4-9/16" Arch Frame & Brickmold
DRAPC80-36, DRA1C80-36, DRA2C80-36	PFG063680AK	6-9/16" Arch Frame & Brickmold

PF™ FRAMES RADIUS HEADER KIT

DOOR SIZE	MATCHING KIT CODE	PRODUCT DIMENSION
DRAPR, DRAPR70 DRAPR80, DRA2F80, DRA4C80	PFG04030H0RHK	4-9/16" Radius Frame & Brickmold
DRAPR, DRAPR70 DRAPR80, DRA2F80, DRA4C80	PFG06030H0RHK	6-9/16" Radius Frame & Brickmold
DRAPR-36, DRAPR70-36 DRAPR80-36, DRA4C80-36	PFG04036H0RHK	4-9/16" Radius Frame & Brickmold
DRAPR-36, DRAPR70-36 DRAPR80-36	PFG06036H0RHK	6-9/16" Radius Frame & Brickmold





DOORLITE STYLES

We KNOW what makes a door unique. We offer a breadth of designs that will meet your requirements. Each piece of decorative glass is sealed between two pieces of tempered safety glass, providing excellent safety, sound, and thermal performance. The state-of-the-art Warm Edge spacer system provides a seal that protects and insulates your door & home for years to come. Unlike the competition, our metal caming includes a gasket that cushions & protects the glass from chipping, cracking, and rattling during door movement.

UNIQUE INDUSTRY-LEADING DESIGNS GASKET CAMING

ENERGY EFFICIENCY, SOUND PROTECTION, SAFETY WARM EDGE SPACER SYSTEM

CAMING

Our exclusive glass designs are offered with different caming options to match a variety of hardware finishes.







BTHP™ SNAP-ON DOORLITE FRAMES

Our exclusive BTHP™ Snap-on Frames employ a series of specially designed clips that lock decorative glass firmly in place. Our BTHP™ Frames have no unsightly plugs or screws, and create a cleaner, more natural appearance in any entryway. Able to withstand temperatures over 200 degrees Fahrenheit, this frame is perfect for use in any door.



*For FL5 (20 x 64), HL3 (20 x 36) & TL5 (20 x 8-1/4) glass, the units come w/ screw frame only

WROUGHT IRON DOORLITE FRAMES

This maintenance-free Wrought Iron doorlite frame resists rust and corrosion while working to keep cold out in the winter and heat out in the summer. Specially engineered to complement the range of cutouts in the Rustic Series, each frame is beautifully hand made and has a durable powder coat finish. May also be used in select Smooth Skin, Woodgrain, and True White Oak doors.



GLASS FAMILIES

GLASS OBSCURITY

Our exclusive glass designs feature combinations of intricate components and provide varying degrees of opacity and privacy.

PRISCILLA




FONTAINEBLEAU

Privacy Level



ARTESANO

*Also available in brass & zinc caming



CAMELIA




SOLSTICE



ARTESANO BREEZE



BRENTWOOD



Privacy Level

ABERDEEN

*Also available in Patina



CASTILE



KENSINGTON




CLEAR



Privacy Level

SPRING



TRANSOMS

RECTANGLE TRANSOMS: 63"x 12" & 66-1/2"x 13"

CAMELIA - Wroughht Iron



CAMTR1PR / CAMTR2PR

PRISCILLA - Wrought Iron



PCLTR1PR / PCLTR2PR

ARTESANO - Patina



ARTTR1PR / ARTTR2PR

ARTESANO BREEZE - Bright Zinc



ARZTR1ZR / ARZTR2ZR

FONTAINEBLEAU - Patina



FONTR1PR / FONTR2PR

FONTAINEBLEAU - Bright Zinc



FONTR1ZR / FONTR2ZR

FONTAINEBLEAU - Brass



FONTR1BR / FONTR2BR

SOLSTICE Patina



SOLTR1PR / SOLTR2PR

KENSINGTON - Patina



KENTR1PR / KENTR2PR

SPRING - Patina



SPRTR1PR / SPRTR2PR

CASTILE - Patina



CASTR1PR / CASTR2PR

BRENTWOOD - Bright Zinc



BRETR1ZR / BRETR2ZR

BRENTWOOD - Patina



BRETR1PR / BRETR2PR

MODERN



The Modern Door collection combines sleek contemporary design with technologically advanced construction. Our Carved doors add an elegant and contemporary feature like no other fiberglass door on the market, while our flush glazed profiles create a TRUE modern look without unsightly screw holes.







MODERN SERIES | FLUSH GLAZED

Select glass from our traditional line or from our modern glass series all with flush glazed glass



RANFL1



CLLFL1



SABFL1



RFTFL1

SMOOTH SKIN 6/8







Priscilla

PCLFL1 CAMFL1





SPRFL1





BREFL1Z/P



SOLFL1P



ARZFL1Z








Enjoy the beauty and simplicity of crisp clean lines with our lavorato series.







WOODGRAIN 6/8











CHERRY



Cherry is a premium american hardwood prized for its natural luster, attractive grain, rich and warm glow. Now you can enjoy the rich textures and sophisticated look with the added benefits of plastpro's hydroshield technology. Our cherry fiberglass doors are able to withstand even the most extreme weather conditions and can provide any home with a truly unique look.







CHERRY SERIES

TWO PANEL



DRC21

ARTESANO BREEZE



DRC21 ARZFL7Z

KENSINGTON



DRC21 KENFL7P

CASTILE



CASFL7P

ARTESANO



DRC21 ARTFL7P

PRISCILLA



DRC21 PCLFL7

CAMELIA



DRC21 CAMFL7

SPRING



SPRFL7P

RUSTIC



Our lines of Rustic doors are produced to provide a classic charm while bringing a contemporary appeal to any home. Each door in the Rustic Series contains deep graining and distinct panel detail that resembles true distressed wood without any of the drawbacks.









PRISCILLA WROUGHT IRON

This antique style wrought iron design is set in between tiny bubble-tempered glass that brings a classic charm to every entry door while applying a high degree of privacy.

PRISCILLA | WROUGHT IRON

Little Bubble Tempered Glass

Wrought iron

TRANSOM



TWO PANEL SQUARE PANEL, SQUARE TOP



DRA2B PCL344

ARCH PLANK, SQUARE TOP



PCL3R4

PCLFL1

TWO PANEL W/ PLANK ARCH PLANK, ARCH TOP

PRIVACY LEVE



DRA2C PCL3R4

TWO PANEL W/ PLANK ARCH PLANK, ARCH TOP



PCL3R5

TWO PANEL W/ PLANK **SQUARE PLANK, SQUARE TOP**



PCLHL6

TWO PANEL W/ PLANK **SQUARE PLANK, SQUARE TOP**



DRA2P80-36 PCL346

TWO PANEL W/ PLANK ARCH PLANK, SQUARE TOP



PCL3R6



CAMELIA WROUGHT IRON

CAMELIA | WROUGHT IRON

Waterfall Tempered Glass

Wrought Iron

TRANSOM



CAMTR1PR / CAMTR2PR

TWO PANEL SQUARE PANEL, SQUARE TOP



DRA2B CAM344

SLA2B CAMFL1

TWO PANEL W/ PLANK ARCH PLANK, SQUARE TOP



DRA2A CAM3R4

TWO PANEL W/ PLANK SQUARE PLANK, SQUARE TOP



DRA2A80 CAM3R5

CAMHL6

TWO PANEL W/ PLANK ARCH PLANK, ARCH TOP



CAM3R4

TWO PANEL W/ PLANK SQUARE PLANK, SQUARE TOP



DRA2P80-36

TWO PANEL W/ PLANK ARCH PANEL, ARCH TOP

PRIVACY LEVEL



CAM3R4

CAMFL1

TWO PANEL W/ PLANK ARCH PLANK, ARCH TOP



DRA2C80-36 CAM3R6

RUSTIC SERIES | ACCESSORIES

CLAVOS

1-1/2" ROUND



1-1/4" ROUND



1-1/2" SQUARE



12Q A

*For more detail information, please see pg 145

RUSTIC W/ CLAVOS



DRA1P ACCLP14Q



DRA2C ACCLP14R



DRA1A80 ACCLP12Q



DRA1C80 ACCLP12R

RUSTIC W/ SPEAKEASY & HINGE STRAP

*Outside View



DRA2D-36 ACCSPKY0910KIT



DRA2R80 ACCHGSTP18 ACCSPKY0910KIT

*Inside View



DRA2D-36 ACCSPKYGSBOKIT

All doors shown pre-finished

*Outside View



DRA2R80 ACCHGSTP18 ACCSPKYGSBOKIT



DRAPR80-36 ACCHGSTP18



RUSTIC SERIES | OVERVIEW

RUSTIC SERIES 6/8





True Plank Arch Top



True Plank Radius Top



Full Lite

DRAPR

DRA1P

One Panel w/ Plank

Square Plank, Square Top

Two Panel w/ Plank Arch Plank, Square Top



DRA2A

Two Panel w/ Plank Arch Plank, Arch Top

DRATP



DRA2C

Two Panel Square Panel, Square Top



Two Panel Arch Panel, Square Top



Two Panel Arch Panel, Arch Top



DRA2E

RUSTIC SERIES 7/0

True Plank



DRATP70

True Plank Arch Top



DRAPC70

True Plank Radius Top



DRAPR70

RUSTIC SERIES 8/0

True Plank Square Top



DRATP80

True Plank Arch Top



DRAPC80



DRAPR80

One Panel w/ Plank Square Plank, Square Top



DRA1P80

One Panel w/ Plank Arch Plank, Square Top



DRA1A80

One Panel w/ Plank Arch Plank, Arch Top



DRA1C80

Two Panel w/ Plank Square Plank, Square Top



DRA2P80

Full Lite



Two Panel w/ Plank Arch Plank, Square Top



DRA2A80

Two Panel w/ Plank Arch Plank, Arch Top



DRA2C80

Two Panel Radius Panel, Square Top



DRA2R80

Two Panel Radius Panel, Radius Top



DRA2F80

Four Panel Radius Panel, Square Top



DRA4R80

Four Panel Radius Panel, Radius Top



DRA4C80

MAHOGANY



The Mahogany Series bring a beautiful hardwood tone that conveys the strong spirit of Mahogany with all the strength and integrity found in fiberglass. Each door is meticulously manufactured utilizing Plastpro's Hydroshield Technology™ to guarantee the highest quality.









Bright Zinc Caming

Reed Glass

PRIVACY LEVEL





DRM40 ABRFL7Z




FOUR PANEL BLANK TOP



SOLHL4P

SOLHL2P



Also available in Zinc & Brass caming





DRM40

KENHL4P

SLM60

KENFL1P

DRM40

KENFL7P

KENHL2P






DRM40

ARTHL4P





DRM40

ARTFL7P

ARTESANO BREEZE | zinc

Clear Hammer (100HS)

Clear Bevel

- Sea Spray

Zinc Caming

FOUR PANEL BLANK TOP

FOUR PANEL BLANK TOP

BLANK TOP SIX PANEL TOP LITE




DRM40 ARZFL7Z



DRM40 ARZHL4Z



DRM60 ARZTL1Z SLM3D ARZFL1Z



FOUR PANEL BLANK TOP FOUR PANEL BLANK TOP SIX PANEL TOP LITE





DRM40 SPRHL4P





SLM3D SPRFL1P




PRIVACY LEVEL



FOUR PANEL BLANK TOP







PRIVACY LEVEL



Patina Caming

Baroque

Beveled

PRIVACY LEVEL

Also available in Zinc caming

3/4 OVAL DELUXE

DRM3D BRE3V2Z/P



SLM3D BRE3V1Z/P

EYEBROW



DRM4E BREEYEZ/P




BREHL4Z/P

FOUR PANEL BLANK TOP



DRM40



PRIVACY LEVEL

CAMELIA | WROUGHT IRON

Wrought Iron

Waterfall Tempered Glass

FOUR PANEL BLANK TOP





PRISCILLA | WROUGHT IRON

Wrought Iron

Little Bubble Tempered

FOUR PANEL BLANK TOP



DRM40 PCLFL7

MAHOGANY SERIES | OVERVIEW

MAHOGANY SERIES 6/8

3/4 Oval Deluxe Door 3/4 Oval Deluxe Sidelite



Eyebrow Door Full Sidelite



Four Panel Blank Top Door

Six Panel Half Sidelite

DRM4E

SLM3D

MAHOGANY SERIES 3/6

Six Panel: 8/0



DRM6080-36

SLM6080

True Four Panel: 6/8



DRM41-36

Six Panel Full Sidelite



SLM3D



DRM40

SLM60

FIR GRAIN



Our doors feature the fine vertical graining charcteristic of the Douglas Fir which emphasizes the architecturally correct proportions of our fiberglass entry doors.







FIR GRAIN SERIES

CLEAR IG

SPRING

DRF3CSPRP

SLF3CSPRP



3 LITE BEVELED GLASS Patina



SOLSTICE



6 LITE BEVELED GLASS

DRF3CB06P

SLF3CB02P



ARTESANO Detine



ARTESANO BREEZE



KENSINGTONPatina



FIR GRAIN W/ SDL BARS & DENTIL SHELVES

3 LITE



DRF3CG000 ACSDF23001 ACDSFT2704 6 LITE



DRF3CG000 ACSDF23002 ACDSFT2704 SLF3CG000 ACSDF23004

For more information on Fir Grain Accessories, please see pg 145.



CLEAR IG



3 LITE BEVELED GLASS



A LITE BEVELED GLASS
Patina

The state of th

DRF3C80 B06P SLF3C80

SPRING



SOLSTICE Patina



ARTESANO Patina



ARTESANO BREEZE



KENSINGTON

DRF3C80 SLF3C80 KENP KENP

FIR GRAIN W/SDL BARS & DENTIL SHELVES

3 LITE



DRF3C80G000 ACSDF23005 ACDSFT2704

6 LITE



DRF3CG000 ACSDF23006 ACDSFT2704

SLF3C80G000 ACSDF23004

FIR GRAIN SERIES | OVERVIEW

FIR GRAIN SERIES: 6/8

Direct Glazed Craftsman

DRF3C SLF3C

FIR GRAIN SERIES: 8/0

Direct Glazed Craftsman



WOODGRAIN & SMOOTH SKIN



Our WOODGRAIN doors have a rich oak grain pattern that resembles the look, feel and texture of real wood without any of the problems associated with wood. Maintain the original look and feel of your home, but with all of the benefits of fiberglass. Made with our exclusive $Hydroshield\ Technology^{TM}$ our doors will never rot, warp or crack like wood.

Plastpro SMOOTH SKIN doors are a long lasting alternative to steel doors that provide all the benefits of fiberglass. Made with our exclusive Hydroshield Technology™ our doors will never dent, rust, or delaminate like steel. Made with a pre-pigmented white skin, our doors resist the appearance of scratches.









PRISCILLA WROUGHT IRON

This antique style wrought iron design is set in between tiny bubble-tempered glass that brings a classic charm to every entry door while applying a high degree of privacy.

TRANSOM





FLUSH FULL LITE



3/4 TWO PANEL 3/4 LITE



THREE PANEL 3/4 LITE



PCL342

3/4 FOUR PANEL 3/4 LITE



EIGHT PANEL CENTER ARCH



PCL8C1

2/6 FLUSH




PCLFL5



PCLFL5

All door styles & glass designs available in Woodgrain & Smooth Skin



CAMELIA WROUGHT IRON

Our exclusive waterfall design features combinations of intricate components and provides beauty to the eye of the beholder.

CAMELIA | WROUGHT IRON

Waterfall Tempered Glass

Wrought Iron

TRANSOM





PRIVACY LEVEL

FLUSH FULL LITE



3/4 TWO PANEL 3/4 LITE



THREE PANEL 3/4 LITE



3/4 FOUR PANEL 3/4 LITE



EIGHT PANEL CENTER ARCH



CAM8C2 CAM8C1

2/6 FLUSH



CAMFL5



DRS00-26 CAMFL5

All door styles & glass designs available in Woodgrain & Smooth Skin



SOLSTICE PATINA

This strong standing original design offers finesse and elegance to any home.

Sable 3.0mm Outer Border

Sable Bevels Center Background

Clear Pencil Border for Inner Border

Patina Caming

TRANSOM



SOLTR1PR / SOLTR2PR



3/4 HERITAGE



DRG29 SLG60 SOL342P SOLFL1P

THREE PANEL HALF LITE



SOLHL4P

THREE PANEL 3/4 LITE



DRG31 SOL342P

FOUR PANEL BLANK TOP HALF LITE



TRUE FOUR PANEL HALF LITE



DRG41 SLG60 SOLHL4P SOLFL1P

TRUE FOUR PANEL TWIN LITE



SOLHL2P



3/4 FOUR PANEL 3/4 LITE & TWIN LITE

DRG49 SLG49 SOL342P SOL341P

3/4 FOUR PANEL TWIN LITE



SOLHL2P

SIX PANEL TRUE HALF LITE



CRAFTSMAN



2/6 FLUSH



2/6 SIX PANEL HALF LITE



SOLHL3P

TWO PANEL HALF LITE



*only available in Smooth Skin

COTTAGE HALF LITE




2/6 SIX PANEL HALF LITE



SOLHL3P



ARTESANO PATINA



ARTESANO | PATINA

Clear Hammer (100HS)

Clear Bevel

Patina Caming

Amber Glass

Sea Spray

FLUSH FULL LITE



ARTFL7P ARTFL1P

THREE PANEL HALF LITE



ARTHL4P

THREE PANEL 3/4 LITE



DRG31 ART342P

FOUR PANEL BLANK TOP HALF LITE



TRUE FOUR PANEL HALF LITE

TRUE FOUR PANEL TWIN LITE

TWO PANEL HALF LITE



DRS2B SLS60 ARTHL4P

COTTAGE HALF LITE





SLG60





SLG60 ARTHL2P

TRANSOM



3/4 FOUR PANEL 3/4 LITE



3/4 FOUR PANEL TWIN LITE



SIX PANEL TOP LITE



SIX PANEL UTILITY HALF LITE



CRAFTSMAN



DRG6C SLG60 ARTTL3P ARTFL1P

EIGHT PANEL CENTER ARCH



ART8C2P

SLG80 ART8C1P

2/6 FLUSH



ARTFL5P

2/6 SIX PANEL



DRG60-26 ARTHL3P

2/6 SIX PANEL



ARTTL5P



ARTESANO BREEZE

BRIGHT ZINC

Combining the warmth of an autumn breeze with a contemporary texture, this design offers brilliance and elegance to any home.



Clear Hammer (100HS)

Clear Bevel

Zinc Caming

Sea Spray

TRANSOM



ARZTR1ZR / ARZTR2ZR



FLUSH FULL LITE



SLGOO ARZFL7Z ARZFL1Z

3/4 TWO PANEL



DRG29 ARZ342Z

THREE PANEL HALF LITE



ARZHL4Z

THREE PANEL 3/4 LITE



DRG31 ARZ342Z

3/4 FOUR PANEL 3/4 LITE

FOUR PANEL BLANK TOP



ARZHL4Z ARZHL2Z

TRUE FOUR PANEL HALF LITE



DRG41 SLG60 ARZHL4Z ARZFL1Z

TRUE FOUR PANEL TWIN LITE



ARZHL2Z



All door styles & glass designs available in Woodgrain & Smooth Skin

ARZHL2Z

SIX PANEL TOP LITE



SIX PANEL UTILITY HALF LITE



CRAFTSMAN



EIGHT PANEL CENTER ARCH



ARZ8C2Z

ARZ8C1Z

2/6 FLUSH & SIX PANEL



DRG00-26 ARZFL5Z



DRG60-26 ARZTL5Z



DRS60-26 ARZHL3Z

TWO PANEL HALF LITE



COTTAGE HALF LITE



SLS60 ARZHL4Z ARZFL1Z



FONTAINEBLEAU

PATINA/ZINC/BRASS

This renowned renaissance design has a royal hunting lodge inspiration to that of an old world country adding a traditional touch to your home.



FONTAINEBLEAU | PATINA

100 Water

Lava

Clear Bevel

Patina Caming

Also available in Zinc & Brass caming

PRIVACY LEVEL

3/4 OVAL HERITAGE



FON3V2P/Z/B

FONFL1P/Z/B

3/4 HERITAGE



FON342P/Z/B

FONFL1P/Z/B

3/4 OVAL ELITE



DRG3E FON3V2P/Z/B

SLG60 FONFL1P/Z/B

3/4 OVAL PREMIUM



DRG3P FON3V2P/Z/B FON3V1P/Z/B

FOUR PANEL BLANK TOP



FONHR1P/Z/B

FONFL1P/Z/B

FOUR PANEL BLANK TOP



FONHL4P/Z/B

FONHL2P/Z/B

TRANSOM



FONTR1PR / FONTR2PR FONTR1BR / FONTR2BR FONTR1ZR / FONTR2ZR

3/4 FOUR PANEL 3/4 LITE



3/4 FOUR PANEL TWIN LITE



THREE PANEL 3/4 LITE



EIGHT PANEL CENTER ARCH





KENSINGTON PATINA

This geometrical design weaves contemporary fashion with durability and performance.

100 Water Narrow Reed

Patina Caming

Clear Bevel

Sandblasted Glass

TRANSOM



PRIVACY LEVEL

FLUSH FULL LITE



KENFL7P KENFL1P

3/4 TWO PANEL



KEN342P KEN341P

THREE PANEL HALF LITE



KENHL4P

THREE PANEL 3/4 LITE



DRG31 KEN342P

FOUR PANEL BLANK TOP



SLG60 KENHL2P KENHL4P

TRUE FOUR PANEL HALF LITE





TRUE FOUR PANEL TWIN LITE



KENHL2P

3/4 FOUR PANEL 3/4 LITE



KEN342P

3/4 FOUR PANEL TWIN LITE



SIX PANEL UTILITY HALF LITE



KENHL4P

KENFL1P

TWO PANEL HALF LITE



COTTAGE HALF LITE



2/6 FLUSH



KENFL5P

2/6 SIX PANEL



KENHL3P



ABERDEEN BRIGHT ZINC

This simple, classy design reflects an elegant touch to any home that sparkles in the sunshine. Its clean, sleek features are combined with the greatest security and privacy.



FLUSH FULL LITE




FLUSH FULL LITE





SPRING PATINA

Reflecting a distinct American tradition, these geometric forms comprised of double water, grey, and clear chord glass reminds us of the simple pleasures of tranquil waters.



SPRING | PATINA

Clear Chord

Patina Caming

Pale Grey Water

Light Water

PRIVACY LEVEL

FLUSH FULL LITE



3/4 TWO PANEL 3/4 LITE



THREE PANEL HALF LITE & 3/4 LITE



DRG31 SPRHL4P



DRG31 SPR342P

TRUE FOUR PANEL HALF LITE & TWIN LITE






SPRHL2P

SLS49

3/4 FOUR PANEL 3/4 LITE & TWIN LITE





DRS49 SPR341P

TRANSOM



SPRTR1PR / SPRTR2PR

SIX PANEL TOP LITE



SIX PANEL TRUE HALF LITE



CRAFTSMAN



SPRTL3P

NINE PANEL



TWO PANEL HALF LITE



COTTAGE HALF LITE






CASTILE

This distinctive collection offers a strong heritage similar to "old world" Mexico by offering a truly authentic design while displaying a stylized floral pattern. The beveled glass adds a traditional touch to your home.

CASTILE | PATINA

Granite Patina Caming Baroque Beveled Glass



TRANSOM



CASTR1PR / CASTR2PR



FLUSH FULL LITE



3/4 OVAL HERITAGE



CAS3V2P

3/4 HERITAGE



CAS343P

3/4 TWO PANEL



DRG29 CAS342P

SLG60 CASFL1P

3/4 OVAL ELITE



3/4 ELITE



CAS343P

3/4 OVAL PREMIUM



DRG3P CAS3V2P



FOUR PANEL BLANK TOP



THREE PANEL HALF



DRG31 CASHL4P

THREE PANEL 3/4 LITE



DRG31 CAS342P

TRUE FOUR PANEL HALF LITE



CASHL4P

TRUE FOUR PANEL TWIN LITE



DRG41 CASHL2P

SLG60 CASHL2P

3/4 FOUR PANEL 3/4 LITE



3/4 FOUR PANEL TWIN LITE



DRG49 CAS341P

SIX PANEL UTILITY HALF LITE



CASHL4P

2/6 SIX PANEL




DRG60-26 CASHL3P

CASFL1P

2/6 FLUSH

DRS00-26

CASFL5P



BRENTWOOD PATINA/ZINC

This simple, refined design displays elegance all on its own while the beautiful beveled glass creates a touch of class.

BRENTWOOD | PATINA

Granite

Baroque

Beveled

Patina Caming

Also available in Zinc

PRIVACY LEVEL

FLUSH FULL LITE



DRGOO SLGOO BREFL7Z/P BREFL1Z/P

3/4 OVAL HERITAGE



DRG20 BRE3V2Z/P

BREFL1Z/P

3/4 TWO PANEL 3/4 LITE



BRE342Z/P

3/4 OVAL PREMIUM

BREFL1Z/P

THREE PANEL HALF



DRG31 BREHL4Z/P

THREE PANEL 3/4 LITE



3/4 OVAL ELITE



DRG3E BRE3V2Z/P

SLG60 BREFL1Z/P





SLG3P BRE3V1Z/P

All door styles & glass designs available in Woodgrain & Smooth Skin

TRANSOM



BRETR1ZR / BRETR2ZR BRETR1PR / BRETR2PR

TRUE FOUR PANEL HALF LITE & TWIN LITE



DRG41 BREHL4Z/P



3/4 FOUR PANEL 3/4 LITE & TWIN LITE



BRE342Z/P



BRE341Z/P

SIX PANEL UTILITY HALF LITE



SLG61 DRG63 BREHL4Z/P BREFL1Z/P

CRAFTSMAN

BRETL3Z/P



SLG60 BREFL1Z/P

EIGHT PANEL CENTER ARCH



DRG80 BRE8C2Z/P

BRE8C1Z/P

NINE PANEL

BRE341Z/P



SLS60 BREFL1Z/P BRE9P1Z/P

DIRECT GLAZED CRAFTSMAN | SMOOTH SKIN





3 LITE BEVELED GLASS
Patina



6 LITE BEVELED GLASS

DRS3CB06P SLS3CB02P



SMOOTH SKIN W/SDL BARS & DENTIL SHELVES





6 LITE





PRIVACY LEVEL

PRISCILLA | WROUGHT IRON

Wrought Iron

Little Bubble Tempered

FLUSH FULL LITE



DRG0070 PCLFL7

2/6 FLUSH



DRG0070-26 PCLFL5

THREE PANEL 3/4 LITE



PCL342

CAMELIA | WROUGHT IRON

SLG0070

Wrought Iron

Waterfall Tempered Glass

THREE PANEL 3/4 LITE



2/6 FLUSH




DRS3170 CAM342



PRIVACY LEVEL

DRG0070



TRUE FOUR PANEL HALF LITE





SOLSTICE | PATINA

THREE PANEL HALF LITE



SOLHL4P

THREE PANEL 3/4 LITE



DRG3170 SOL342P



SOLFL5P





TRUE FOUR PANEL HALF LITE



THREE PANEL HALF LITE



ARTHL4P

TRUE FOUR PANEL TWIN LITE



THREE PANEL 3/4 LITE



ART342P



ARTFL5P





ARZFL1Z

ARZFL7Z



THREE PANEL HALF LITE



ARZHL4Z

TRUE FOUR PANEL TWIN LITE



DRG4170 ARZHL2Z

SLG4170 ARZHL2Z

THREE PANEL 3/4 LITE



DRG3170 ARZ342Z



ARZFL5Z





DRG0070 KENFL7P

SLG0070 KENFL1P

TRUE FOUR PANEL HALF LITE



DRG4170 KENHL4P

SLG4170 KENHL2P

THREE PANEL HALF LITE



DRG3170 KENHL4P

TRUE FOUR PANEL TWIN LITE



DRG4170 KENHL2P

SLG4170 KENHL2P

THREE PANEL 3/4 LITE



DRG3170 KEN342P



DRS0070-26 KENFL5P

Lava

100 Water

Clear Bevel

Patina Caming



PRIVACY LEVEL

Also available in Zinc & Brass caming

THREE PANEL 3/4 LITE



DRG3170 FON342P/Z/B

DRS3170

THREE PANEL 3/4 LITE

FON342P/Z/B

PRIVACY LEVEL

ABERDEEN | BRIGHT ZINC

Reed Glass

Bright Zinc Caming

FLUSH FULL LITE



ABRFL1Z

ABRFL1Z

FLUSH FULL LITE







PRIVACY LEVEL

THREE PANEL HALF LITE



DRG3170 SPRHL4P

THREE PANEL 3/4 LITE



DRG3170 SPR342P

TRUE FOUR PANEL HALF LITE



TRUE FOUR PANEL TWIN LITE



SIX PANEL UTILITY HALF LITE







DRG0070 CASFL7P

THREE PANEL HALF LITE



CASHL4P

THREE PANEL 3/4 LITE



DRG3170 CAS342P

TRUE FOUR PANEL HALF LITE



TRUE FOUR PANEL TWIN LITE

CASFL1P



DRG4170 CASHL2P CASHL2P

SIX PANEL UTILITY HALF LITE



DRG6170 CASHL4P

2/6 FLUSH




DRS0070-26 CASFL5P

CASFL1P



Granite Baroque

Beveled Patina Caming





FLUSH FULL LITE



BREFL1Z/P

THREE PANEL HALF LITE



BREHL4Z/P

THREE PANEL 3/4 LITE



DRG3170 BRE342Z/P

TRUE FOUR PANEL HALF LITE

BREFL7Z/P



DRG4170 BREHL4Z/P BREFL1Z/P

TRUE FOUR PANEL TWIN LITE



BREHL2Z/P BREHL2Z/P

SIX PANEL UTILITY HALF LITE



BREFL1Z/P



PRISCILLA | WROUGHT IRON

Little Bubble Tempered Glass
Wrought Iron



PRIVACY LEVEL

9

THREE PANEL 3/4 LITE



TRUE FOUR PANEL HALF LITE



SIX PANEL HALF LITE



CAMELIA | WROUGHT IRON Wrought Iron Waterfall Tempered

PRIVACY LEVEL

THREE PANEL 3/4 LITE



CAMFL7

CAMFL1

TRUE FOUR PANEL HALF LITE



CAM342

SLG4180 CAMFL2

SIX PANEL HALF LITE



CAMHL6

CAMFL2



PRIVACY LEVEL

TRUE FOUR PANEL HALF LITE



S0L341P

NINE PANEL

S0L342P




DRG9180* SOL341P

TRUE FOUR PANEL TWIN LITE



^{*}Only available in Woodgrain



ARTESANO | PATINA

Clear Hammer (100HS)

Clear Bevel

Amber Glass

Sea Spray

Patina Caming

TRUE FOUR PANEL HALF LITE



ART342P

ART341P

TRUE FOUR PANEL TWIN LITE



NINE PANEL



DRG9180* ART341P

*Only available in Woodgrain

THREE PANEL 3/4 LITE



ARTFL7P

SLS3080 ARTFL1P

ARTESANO BREEZE | BRIGHT ZINC

Clear Hammer (100HS) Clear Bevel

Zinc Caming

Sea Spray

TRUE FOUR PANEL HALF LITE



TRUE FOUR PANEL TWIN LITE



ARZ341Z

ARZ341Z

NINE PANEL



ARZ341Z


THREE PANEL 3/4 LITE



ARZFL7Z

ARZFL1Z

^{*}Only available in Woodgrain



7

Also available in Zinc & Brass caming

TRUE FOUR PANEL TWIN LITE



FON341P/Z/B

SLG4180 FON341P/Z/B

NINE PANEL



FON341P/Z/B


TRUE FOUR PANEL HALF LITE



DRS4180 FON342P/Z/B

SLS4180 F0N341P/Z/B

^{*}Only available in Woodgrain



TRUE FOUR PANEL HALF LITE



TRUE FOUR PANEL TWIN LITE



DRG4180 KEN341P

SLG4180 KEN341P

NINE PANEL



KEN341P

THREE PANEL 3/4 LITE



^{*}Only available in Woodgain





ABRFL2Z

2/6 FLUSH




DRG0080-26 ABRFL6Z

THREE PANEL 3/4 LITE



ABRFL7Z





THREE PANEL 3/4 LITE



SPRFL7P SPRFL1P

TRUE FOUR PANEL HALF LITE



DRG4180 SLG4180 SPR342P SPR341P

TRUE FOUR PANEL TWIN LITE



SPR341P

NINE PANEL



SPR341P Only available in Woodgain

SIX PANEL HALF LITE



DRG6080 SLG3080 SPRHL6P SPRFL2P

TWO PANEL



SLS4180 SPR341P

SPR341P





Patina Caming

Beveled

Baroque



PRIVACY LEVEL

THREE PANEL 3/4 OVAL



DRG3080 CAS3V3P

SLG3080 CASFL1P

THREE PANEL 3/4 LITE



CASFL7P

CASFL1P

TRUE FOUR PANEL HALF LITE



CAS342P CAS341P

SIX PANEL HALF LITE



CASHL6P

CASFL2P

NINE PANEL



DRG9180 CAS341P

Only available in Woodgain

EIGHT PANEL CENTER ARCH



DRS8080* CAS8C3P CASFL2P



PRIVACY LEVEL

Also available in Zinc caming

BRENTWOOD | PATINA

Granite

Beveled

Baroque

Patina Caming

THREE PANEL 3/4 OVAL



BRE3V3Z/P

SLG3080 BREFL1Z/P

THREE PANEL 3/4 LITE



DRG3080 BREFL7Z/P

SLG3080 BREFL1Z/P

TRUE FOUR PANEL TWIN LITE



SLG4180 BRE341Z/P

NINE PANEL



BRE341Z/P

EIGHT PANEL CENTER ARCH



DRG8080 BRE8C3Z/P

SLG3080 BREFL2Z/P

TRUE FOUR PANEL HALF LITE



DRS4180 BRE342Z/P

BRE341Z/P

*Only available in Woodgrain

BRE341Z/P





DIRECT GLAZED CRAFTSMAN | SMOOTH SKIN

CLEAR IG



3 LITE BEVELED GLASS



SDL BARS & DENTIL SHELVES

Patina

SLS3C80

B02P

6 LITE BEVELED GLASS

DRS3C80

B06P



SPRING



WOODGRAIN SERIES | OVERVIEW

WOODGRAIN SERIES: 6/8

















Two Panel Square















WOODGRAIN SERIES: 7/0



WOODGRAIN SERIES: 8/0





SMOOTH SKIN SERIES | OVERVIEW

SMOOTH SKIN SERIES: 6/8







SMOOTH SKIN SERIES: 7/0




SMOOTH SKIN SERIES: 8/0





TRUE WHITE OAK



The True White Oak Series combines the best features of our smooth skin and oak grain doors-a traditional oak grain pattern and prepigmented white skin that resists scratches and yellowing for years to come. True White Oak combines the elegance of oak graining with a UV-protected white skin for stylish versatility.



Little Bubble Tempered Glass

FLUSH FULL LITE



2/6 FLUSH



DRW00-26 PCLFL5



CAMELIA | WROUGHT IRON

Wrought Iron

Waterfall Tempered Glass



FLUSH FULL LITE



CAMFL7

CAMFL1

2/6 FLUSH





FOUR PANEL BLANK TOP



*Not available in 7/0

TRUE FOUR PANEL TWIN LITE



TRUE FOUR PANEL HALF LITE



SIX PANEL UTILITY HALF LITE





FLUSH FULL LITE



TRUE FOUR PANEL TWIN LITE



FOUR PANEL BLANK TOP



*Not available in 7/0

SIX PANEL UTILITY HALF LITE



TRUE FOUR PANEL HALF LITE



2/6 FLUSH



ARTFL5Z



TRUE FOUR PANEL HALF LITE



TRUE FOUR PANEL TWIN LITE



ARZHL2Z

FOUR PANEL BLANK TOP



*Not available in 7/0

SIX PANEL UTILITY HALF LITE



TRUE FOUR PANEL HALF LITE



ARZHL4Z

2/6 FLUSH



DRW00-26 ARTFL5Z





FLUSH FULL LITE



FOUR PANEL BLANK TOP



*Not available in 7/0

TRUE FOUR PANEL HALF LITE



TRUE FOUR PANEL TWIN LITE



SIX PANEL UTILITY HALF LITE



ABERDEEN | BRIGHT ZINC

Reed Glass

Bright Zinc Caming



FLUSH FULL LITE





FLUSH FULL LITE



TRUE FOUR PANEL TWIN LITE



FOUR PANEL BLANK TOP



*Not available in 7/0

SIX PANEL TOP LITE



*Not available in 7/0

TRUE FOUR PANEL HALF LITE



SIX PANEL UTILITY HALF LITE







FLUSH FULL LITE



TRUE FOUR PANEL HALF LITE




FOUR PANEL BLANK TOP



*Not available in 7/0

TRUE FOUR PANEL TWIN LITE






Granite

Beveled

Patina Caming

Baroque





Also available in Zinc caming

FLUSH FULL LITE



FOUR PANEL BLANK TOP



*Not available in 7/0

TRUE FOUR PANEL TWIN LITE



TRUE FOUR PANEL HALF LITE



SIX PANEL UTILITY HALF LITE



TRUE WHITE OAK SERIES | OVERVIEW

TRUE WHITE OAK SERIES: 6/8



TRUE WHITE OAK SERIES: 7/0



ONELITE



Our Flush Glazed doors create the cleanest profiles available. Onelite doors allow for an abundance of natural daylight and generous views, while maintaining maximum energy efficiency. Doors feature a removable stop that allows the glass to be easily replaced at any time and are available with a clear double-insulated tempered glass, LoE^2 , GBG, or Miniblinds.









ONELITE | FLUSH GLAZED

ONELITE FLUSH GLAZED DOOR

DOUBLE-PANED GLASS is available in Clear IG, GBG, and LoE^2 options

FIBERGLASS SKIN is unmarred by the wear and tear of everyday use, and is unaffected by moisture and humidity. Our doors will not rot, splinter or warp like wood, and won't dent or delaminate like steel

EXCHANGEABLE GLASS STOP allows for easy replacement of the glass

100% CFC-FREE POLYURETHANE CORE is environmentally friendly and provides a high R-value for maximum thermal protection.

FULL COMPOSITE STILES AND RAILS protect the door from water infiltration on all six sides to ensure our door will never warp, rot, or rust.

FLUSH GLAZED DOORS: 6/8 & 7/0

	DRG/DRS10	DRG/DRS12	DRM/DRS13	DRS11	DRS1170
2/0 x 6/8	•				
2/6 x 6/8	•		•		
2/8 x 6/8	•	•	•		
3/0 x 6/8	•	•	•	•	
3/0 x 7/0					•

FLUSH GLAZED SIDELITES: 6/8

	SLG/SLS10	SLG/SLS12	SLM/SLS13
1/0 x 6/8	•	•	•
1/2 x 6/8	•	•	•

FLUSH GLAZED DOORS: 8/0

	DRG/DRS1W80	DRM/DRS1380	DRS1180	DRS1080
2/6 x 8/0	•	•		•
2/8 x 8/0	•	•		•
3/0 x 8/0	•	•	•	•

FLUSH GLAZED SIDELITES: 8/0

	SLG1W80	SLS1W80	SLM/SLS1380
1/0 x 8/0	•	•	•
1/2 x 8/0	•	•	•

FULL LITE: 6/8

CLEAR IG



GBG



FULL LITE: 6/8





HALF LITE: 6/8



HALF LITE: 6/8







3/4 LITE: 6/8





3/4 LITE W/ SDL BARS





ONELITE | FLUSH GLAZED

FLUSH GLAZED FULL LITE

ABERDEEN Zinc



2/8

ABERDEEN



DRS10-28 ABRZ

2/6

ABERDEEN Zinc



DRS10-26 ABRZ



FULL LITE: 8/0





DRG1W80C

LoE²



DRG1W80L

GBG



G12

FLUSH GLAZED FULL LITE

ABERDEEN



ABRZ

2/8

ABERDEEN



DRS1W80-28 ABRZ

2/6

ABERDEEN



DRS1W80-26 ABRZ

MINIBLIND



DRS1080B

ABRZ



3/4 LITE: 8/0





LoE²



DRM1380L

SLM1380L

3/4 LITE W/ SDL BARS

10 LITE



9 LITE







ADA SERIES

10.5" BOTTOM RAIL Complies with ADA codes

REINFORCED STILES For panic bar hardware and exit rim devices

5.5" FLAT STILES Accommodates all types of commercial hardware (including 2-3/4" backset 161 prep and mortise locks).



ADA: 6/8 Only available in Smooth Skin







ADA: 7/0 Only available in Smooth Skin












ADA: 8/0 Only available in Smooth Skin



RIMMABLETM DOORS



Plastpro Fiberglass Trimmable doors ensure the perfect fit for every entryway. With the flexibility to size for the correct height and width of an existing entryway without any reconstruction, Trimmable doors are the latest innovation from Plastpro. Made with Plastpro's Hydroshield Technology™ for long lasting durability, this is the door your home has been waiting for.







RIMMABLETM DOORS



WOODGRAIN: 36" X 80"



DRGOOT

Flush

True Four Panel



DRG41T

Six Panel Utility



DRG61T

TRIMMABLE SERIES

SMOOTH SKIN: 36" X 80"







SMOOTH SKIN: 36" X 79-1/4"

DRSOOT













FIRE RATED



Made with fire retardant foam and guarantee to withstand fire for a minimum of 20 minutes. Plastpro fire-rated and waterproof fiberglass doors qualify homeowners for energy savings that result in the reduction of your overall energy bill. We are the 1st and only fiberglass door manufacture that provides not only fire rated doors, but water proof entry systems as well. Our fire-rated doors are extremely durable and fire-resistant, and most importantly provide a safe home that's affordable and energy efficient.







138

FIRE RATED SERIES | 20 MIN 6/8 TALL

*TESTED W/ WOOD, STEEL & 20 MIN FIRE RATED PF FRAME

- 20 Minute Warnock Hersey Fire Rating Approval
- Great for Single and Multi-family Homes, and **Light Commercial Applications.**
- Earns Tax Credits for Using Plastpro Energy Efficient Fiberglass Door
- More Affordable


FIRE RATED FIBERGLASS DOORS

FIBERGLASS REINFORCED SKINS

FIRE RETARDANT FOAM CORE

WIDEST RANGE OF STYLES AND SIZES

AVAILABLE IN RUSTIC, MAHOGANY, WOODGRAIN, TRUE WHITE OAK, AND SMOOTH SKIN FINISH



6/8 RUSTIC

Square Plank,



DRA1P2

Arch Plank, Square Top



DRA2A2

6/8 MAHOGANY

Eyebrow



DRM4E2



Six Panel

*In Stock

FIRE RATED SERIES | 20 MIN 6/8 TALL

*TESTED W/ WOOD, STEEL & 20 MIN FIRE RATED PF FRAME

6/8 WOODGRAIN

Flush



DRG002

Two Panel Square Top



DRG292

3/4 Elite



3/4 Premium



DRG3P2

Craftsman



DRG6C2

Four Panel Blank Top



DRG402

True Four Panel



3/4 Four Panel



Six Panel



FIRE RATED SERIES | 20 MIN 6/8 TALL

*TESTED W/ WOOD, STEEL & 20 MIN FIRE RATED PF FRAME

6/8 SMOOTH SKIN





















FIRE RATED SERIES | 20 MIN 6/8 TALL

*TESTED W/ WOOD, STEEL & 20 MIN FIRE RATED PF FRAME

6/8 SMOOTH SKIN

Two Panel Square Top



3/4 Premium



Craftsman



3/4 Four Panel



DRS492

6/8 TRUE WHITE OAK

Flush



Four Panel Blank Top



True Four Panel



Six Panel



DRW602*

Six Panel Utility



FIRE RATED SERIES | 20 MIN 7/0 TALL

*TESTED W/ WOOD, STEEL & 20 MIN FIRE RATED PF FRAME

7/0 WOODGRAIN



7/0 SMOOTH SKIN





Six Panel Utility



DRS41702

DRS617029

7/0 TRUE WHITE OAK







*In Stock

8/0 WOODGRAIN

Flush



Six Panel



DRG60802

8/0 SMOOTH SKIN

Flush



Two Panel w/ Square Top



Two Panel w/ Arch Top



True Four Panel



DRS41802*





6/8 WOODGRAIN

Flush



DRG002-60 DRG002-90


6/8 SMOOTH SKIN

Flush




DRS002-60 DRS002-90

IMPACT



Plastpro Impact Doors are engineered to withstand penetration of flying objects while maintaining all of the benefits and beauty of our panel doors. Our innovative R&D department has pioneered a unique patent-pending process whereby a missile-proof shield is built-in to reinforce the door. Impact doors are available in Woodgrain, Smooth Skin and Flushed Glazed with specially formulated Impact-Resistant glass.







FLUSH



FOUR PANEL BLANK TOP 3/0 x 6/8



TRUE FOUR PANEL 3/0 x 6/8



SIX PANEL 3/0 x 6/8



SIX PANEL UTILITY 3/0 x 6/8



FLUSH



SIX PANEL 3/0 x 8/0



FLUSH GLAZED 3/0 x 6/8



FLUSH GLAZED WIDE STILE 3/0 x 8/0



DRG1W80I

IMPACT SERIES | SMOOTH SKIN





IMPACT SERIES | SMOOTH SKIN AND RUSTIC

SMOOTH SKIN

FLUSH 3/0 x 8/0



SIX PANEL 3/0 x 8/0



FLUSH GLAZED



FLUSH GLAZED WIDE STILE 3/0 x 8/0



DRS1W80I

6/8 RUSTIC

Two Panel Square Panel, Square Top



Two Panel Arch Panel, Square Top



DRA2DI

ACCESSORIES



Plastpro has developed a new line of decorative door accessories to complement our unique product offerings. Our accessories have been designed with a scientifically formulated adhesive for use with Plastpro Fiberglass Doors. All accessories applied by Plastpro distributor/ dealer.







ACCESSORIES | SDL BARS & DENTIL SHELVES

SDL BARS




Plastpro SDL Bars, also known as Simulated Divided Lights, are an energy efficient alternative to true divided lights to prevent unwanted heat or cold to enter your home. They can be used on the interior and exterior of your doorlite to create personalized look or to replicate classic designs. Plastpro SDL Bars add the rich three-dimensional effect of traditional wood products, without the risk of warping, cracking or rotting.

ENERGY EFFICIENT
RECREATE CLASSIC DESIGNS
CREATE CUSTOM LOOKS
AFFORDABLE

SDL external bars sold separately and applied by Plastpro distributor/ dealer

DENTIL SHELVES



Plastpro Dentil Shelves are made of lightweight HDP and will not warp, rot or crack. High Density Polyurethane (HDP) is an excellent alternative to GFRG, GFRC, FRP, and traditional wood products. Available in Woodgrain, Smooth Skin and Fir Grain finish.

*Dentil Shelves applied by Plastpro distributor/ dealer.

THE HIGH DENSITY POLYURETHANE (HDP) PROVIDES MANY BENEFITS SUCH AS:

EASY INSTALLATION using common wood working tools and equipment

WILL NOT ROT or absorb moisture, and resists the growth of fungus and mildew

CLOSED CELLULAR STRUCTURE prevents paint from peeling from the surface

WILL NOT WARP OR CRACK when properly installed, or be affected by UV rays when properly coated

CLAVOS



*Clavos applied by Plastpro distributor/ dealer.

Plastpro decorative Clavos provide the perfect accent to some of the most beautiful and highest quality fiberglass doors in the industry. In addition to providing a distinct and unique element to any distressed fiberglass door, our decorative Clavos enhance our fiberglass entry doors, and provide the perfect "finishing touch" to virtually every Rustic door we provide.

EASY TO APPLY

SCIENTIFICALLY FORMULATED ADHESIVE unique for fiberglass doors

MASTERFULLY HANDCRAFTED of premium metal alloy
TOUGH & DURABLE powder coat finish

Plastpro Clavos provide the perfect finishing touch to virtually every Rustic door we provide.



DRA1A80 ACCLP12Q



DRA1C80 ACCLP12R




DRA1P ACCLP14Q



DRA2C ACCLP14R



*Speakeasy applied by Plastpro distributor/ dealer Part# ACCSPKY0910KIT



Part# ACCSPKYGSBOKIT

PLASTPRO SPEAKEASY & HINGE STRAP

Plastpro has extended its line of authentic door accessories with the addition of the Hinge Strap and a Speakeasy Kit. Our Hinge Straps and Speakeasy Kit are handcrafted from durable aluminum that resists rust and discoloration. The Speakeasy Kit comes with a distinctive rounded-iron grill that enhances the old world styling of our Rustic Door Collection and helps to create a personalized look for your new entryway.

DURABLE POWDER COAT FINISH
COMBATS RUST AND DISCOLORATION
BEAUTIFULLY TEXTURED
MASTERFULLY HAND CRAFTED



*Hinge Strap applied by Plastpro distributor/ dealer Part# ACCHGSTP18

*Speakeasy Inside View



DRA2D-36 ACCSPKY0910KIT

*Speakeasy Outside View

DRA2R80 ACCHGSTP18 ACCSPKY0910KIT

*Speakeasy Inside View



DRA2D-36 ACCSPKYGSBOKIT

*Speakeasy Outside View



DRA2R80 ACCHGSTP18 ACCSPKYGSBOKIT



STAINING GUIDE | WOODGRAIN

STAINING GUIDE: WOODGRAIN

MATERIALS NEEDED - PLASTPRO PRE-FINISH KIT OR:

- A. Pre-Mixed Stain (1/2 pint)
- B. Mineral Spirits (4 fl. oz.)
- C. Top Coat/Sealer (20 fl. oz.)
- D. Two Clean Cloth
- E. One Pair Protective Gloves
- F. 3" China Bristle Brush
- G. Two Stir Sticks
- H. Two Skin Samples
- I. Finishing Instruction





STEP 1: SURFACE PREPARATION


- 1. Lay door horizontally on saw horses or a table.
- 2. Remove all the hardware and mask off anything you don't want stained such as the glass insert.
- 3. DO NOT SAND GRAINED FIBERGLASS
- 4. Wipe the door with mineral spirits to clean any dust or residue from the surface. Allow door surface to dry completely before applying stain.




STEP 2: STAIN APPLICATION

FIRST COAT

1. Starting at the center of the door, stain one to two panels at a time. Apply stain with a 3" to 4" soft bristle brush, or rag. Apply enough stain to fill the door grain. (Refer to the door staining diagram.)







SECOND COAT (if desired)

ALLOW THE DOOR TO DRY FOR AT LEAST 48 HRS. BETWEEN COATS. Repeat as above.




STEP 3: PROTECTIVE TOP COAT

Application of polyurethane top coat with UV inhibitors like ZAR™ Exterior polyurethane, Wood Kote® Flagship UV, or Minwax® Fast Drying Polyurethane for exterior applications

- 1. After stain has completely dried (48 hours), mix the top coat well and apply evenly using a clean dry 2" soft bristle brush or 3" foam brush. Be sure to stop when the grain changes direction.
- 2. Apply two or three coats of finish, allowing at least 24 hours of drying time between each application.




Even a well-finished fiberglass door will be affected by exposure and weathering from sun, moisture, and air pollutants. It is considered normal maintenance to re-apply the topcoat approximately every two years.



PAINTING GUIDE: WOODGRAIN

MATERIALS NEEDED

- A. Lint-free cloth
- E. 4" Bristle Brush
- B. Mineral Spirits
- F. For Water-based Application: Acrylic-based
- primer*/ acrylic latex-based exterior grade paint. C. Rubber gloves
- D. Masking tape







STEP 1: SURFACE PREPARATION

- 1. Lay door horizontally on saw horses or a table.
- 2. Remove all the hardware and mask off anything you don't want painted, such as the glass insert.
- 3. DO NOT SAND GRAINED FIBERGLASS.
- 4. Wipe the door with mineral spirits to clean any dust or residue from the surface. Allow door surface to dry completely before applying stain paint. Do not use hydro-carbon based solvents to clean the surface as such products may leave a residue.
- 5. Apply primer with a 4" brush beginning with the panels. Follow the manufacturer's instructions for drying time before applying topcoat. Continue to apply the prime to ALL 6 sides. Doors which have been bored and morticed for hardware should be primed inside of the lock bore as well.
- 6. The primer must be completely dry before applying the topcoat.



STEP 2: PAINTING

- 1. Apply exterior grade paint with 4" brush beginning with the panels.
- 2. It is common practice to paint both stiles the same color as the exterior side of the door. If applying a second coat, follow the manufacturer's instructions for drying time between coats.
- 3. Continue to apply the top coat to ALL 6 sides. door which have been bored and morticed for hardware should be finished inside of the lock bore as well.

CAUTION

- 1. When using stains, mineral spirits, paints, or other hazardous materials, always read and follow the manufacturer's instructions. Plastpro, Inc. makes no representations as to the proper use of other manufacturers' products.
- 2. When working with paints or solvents, make sure the working area is well ventilated.
- 3. Keep away from heat and flame as materials may be combustible.
- 4. Paints or solvents may cause skin and eye irritation. Avoid contact with skin and eyes.
- 5. Keep out of reach of children.

PAINTING GUIDE: SMOOTH SKIN

MATERIALS NEEDED

- A. Lint-free Cloth
- B. Mineral Spirits
- C. Rubber Gloves
- D. Masking Tape
- E. 4" Bristle Brush
- F. Scotch Brite Pad (Fine) or 320-400 grit sandpaper
- G. For Water-based Application: Acrylic-based primer*/ acrylic latex-based exterior grade paint.







STEP 1: SURFACE PREPARATION

- 1. Lay door horizontally on saw horses or a table.
- 2. Remove all the hardware and mask off anything you don't want painted, such as the glass insert.
- 3. Lightly scuff sand the surface with a Scotch Brite pad or fine sand paper.
- 4. Wipe the door with mineral spirits to clean any dust or residue from the surface. Allow acetone to dry from the surface before applying
- 5. Do not use hydro-carbon based solvents to clean the surface as such products may leave a residue.
- 6. Apply primer with a 4" brush beginning with the panels. Follow the manufacturer's instructions for drying time before applying topcoat. Continue to apply theprimeto ALL 6 sides. Doors which have been bored and morticed for hardware should be primed inside of the lock bore as well.
- 7. The primer must be completely dry before applying the topcoat.



1 6

STEP 2: PAINTING

- 1. Apply exterior grade paint with 4" brush beginning with the panels.
- 2. It is common practice to paint both stiles the same color as the exterior side of the door. If applying a second coat, follow the manufacturer's instructions for drying time between coats.
- 3. Continue to apply the top coat to ALL 6 sides, door which have been bored and morticed for hardware should be finished inside of the lock bore as well.

CAUTION

- 1. When using stains, mineral spirits, paints, or other hazardous materials, always read and follow the manufacturer's instructions. Plastpro, Inc. makes no representations as to the proper use of other manufacturers' products.
- 2. When working with paints or solvents, make sure the working area is well ventilated.
- 3. Keep away from heat and flame as materials may be combustible.
- 4. Paints or solvents may cause skin and eye irritation. Avoid contact with skin and eyes.
- 5. Keep out of reach of children.

NORMAL MAINTENANCE

Even a well finished fiberglass door will be affected by exposure and weathering from sun, moisture, and air pollutants. It is considered normal maintenance to re-apply the topcoat approximately every two years.



STAINING GUIDE | PF FRAMES

STAINING GUIDE: PF FRAMES

MATERIALS NEEDED - PLASTPRO PRE-FINISH KIT OR:

- A. Pre-Mixed Stain (1/2 pint)
- B. Mineral Spirits (4 fl. oz.)
- C. Top Coat/Sealer (20 fl. oz.)
- D. Two Clean Cloth
- E. One Pair Protective Gloves
- F. 3" China Bristle Brush
- G. Two Stir Sticks
- H. Two Skin Samples
- I. Finishing Instruction





STEP 1: SURFACE PREPARATION

- 1. Lay jamb horizontally on saw horses or a table.
- 2. Remove all the hardware and mask off anything you don't want stained.
- 3. DO NOT SAND GRAINED PF FRAMES.
- 4. Wipe the jamb with mineral spirits to clean any dust or residue from the surface. Allow jamb surface to dry completely before applying stain.



STEP 2: STAIN APPLICATION

FIRST COAT

- 1. Starting at the center of the jamb, stain one to two panels at a time. Apply stain with a 3" to 4" soft bristle brush, or rag. Apply enough stain to fill the jamb grain. (Refer to the door staining diagram.)
- 2. With a clean, lint-free 24 x 24 inch cloth, softly wipe the surface until you reach your desired tone.

 TIP: When the rag becomes saturated with stain, re-fold to work with a less-saturated section. Be sure to use the same rag for the whole jamb.
- 3. After all the stain is brushed evenly you may add finishing touches by using a small 1" to 2" brush or cotton swabs.




SECOND COAT (if desired)

ALLOW THE JAMBTO DRY FOR AT LEAST 48 HRS BETWEEN COATS. Repeat as above.



STEP 3: PROTECTIVE TOP COAT

Application of polyurethane top coat with UV inhibitors like ZAR™ Exterior polyurethane, Wood Kote® Flagship UV, or Minwax® Fast Drying Polyurethane for exterior applications



2. Apply two or three coats of finish, allowing at least 24 hours of drying time between each application.



NORMAL MAINTENANCE

Even a well-finished PF Frame will be affected by exposure and weathering from sun, moisture, and air pollutants. It is considered normal maintenance to re-apply the topcoat approximately every two years.

PAINTING GUIDE | PF FRAMES

PAINTING GUIDE: PF FRAMES

MATERIALS NEEDED

- A. Lint-free cloth
- E. 4" Bristle Brush
- B. Mineral Spirits
- F. For Water-based Application: Acrylic-based primer*/ acrylic latex-based exterior grade paint.
- C. Rubber gloves
- D. Masking tape







STEP 1: SURFACE PREPARATION

- 1. Lay door horizontally on saw horses or a table.
- 2. Remove all the hardware and mask off anything you don't want
- 3. DO NOT SAND GRAINED PF FRAMES.
- 4. Wipe the jamb with mineral spirits to clean any dust or residue from the surface. Allow jamb surface to dry completely before applying paint. Do not use hydro-carbon based solvents to clean the surface as such products may leave a residue.
- 5. Apply primer with a 4" brush beginning with the panels. Follow the manufacturer's instructions for drying time before applying topcoat. Continue to apply the prime to ALL 6 sides. Jambs which have been machined for hardware should be primed inside of the prepped area as well.
- 6. The primer must be completely dry before applying the topcoat.



STEP 2: PAINTING

- 1. Apply exterior grade paint with 4" brush beginning with the panels.
- 2. It is common practice to paint both sides of the jamb the same color as the exterior side of the door. If applying a second coat, follow the manufacturer's instructions for drying time between coats.
- 3. Continue to apply the top coat to ALL 6 sides. Jambs which have been machined for hardware should be coated inside of the prepped area as well.

CAUTION

- 1. When using stains, mineral spirits, paints, or other hazardous materials, always read and follow the manufacturer's instructions. Plastpro, Inc. makes no representations as to the proper use of other manufacturers' products.
- 2. When working with paints or solvents, make sure the working area is well ventilated.
- 3. Keep away from heat and flame as materials may be combustible.
- 4. Paints or solvents may cause skin and eye irritation. Avoid contact with skin and eyes.
- 5. Keep out of reach of children.





PLASTPRO LEED CONTRIBUTIONS

DOOR SERIES	RUSTIC	WOODGRAIN & SMOOTH SKIN	TRIMMABLE	FIRE RATED	IMPACT RATED	PF FRAMES & Trim Boards
Contributes To Total Project Value Of Recycled Content: 10%	YES	YES	YES	YES	YES	YES
Contributes To Total Project Value Of Recycled Content: 20%	YES	YES	YES	YES	YES	YES
Contributes To Total Project Value Of Regional Materials: 10%	YES	YES	YES	YES	YES	YES
Contributes To Total Project Value Of Regional Materials: 20%	YES	YES	YES	YES	YES	YES
Contributes To Total Project Value Of Rapidly Renewable Materials: 2.5%	YES	YES	YES	YES	YES	YES

All Plastpro products that utilize structural wood members are sourced from vendors certified to SFI (Sustainable Forest Initiative), Plastpro does not offer productes that are certified by FSC (Forest Stewardship Council)

MATERIAL RESOURCE	REQUIREMENT		
RECYCLE CONTENT: 10%	The sum of post consumer recycle content plus one-half of pre-consumer content constitutes at least 10% of cost, for the total value of thematerials for that project.		
RECYCLE CONTENT: 20%	The sum of post consumer recycle content plus one-half of pre-consumer content constitutes at least 20% of cost, for the total value of the materials for that project.		
REGIONAL MATERIALS: 10%	Use of building materials or products extracted, harvested, or recovered as well as manufactured, with-in 500 mi. of the project site ($= > 10\%$ total project material cost)		
REGIONAL MATERIALS:	20% Use of building materials or products extracted, harvested, or recovered as well as manufactured, with-in 500 mi. of the project site (= > 20% total project material cost)		
RAPIDLY RENEWABLE MATERIAL: 2.5%	Use of building materials or products made from plants, typically harvested, with-in a ten-year cycle or shorter ($= > 2.5\%$ total project material cost)		



STAIN KIT



CONTAINS Everything you need to stain one prehung door and two sidelites or one double door unit.



Pre-finish kit
Zar® exterior water-based polyurethane(qt)
Zar® wood stain (pt)
Mineral spirits (4 oz.)
Two 2" foam brushes
One 2-1/2" synthetic bristle brush
One cheese cloth
Two stir sticks
One pair of latex gloves

• Increase protection and durability to your plastpro fiberglass entry door

Two skin samples

Door staining instructions


- Faster drying time with environmental friendly water based top coat
- Special formula with long lasting vibrant colors
- Easy do-it-yourself use
- Designed exclusively for plastpro fiberglass entry doors

NORMAL MAINTENANCE Even a well finished fiberglass door will be affected by exposure and weathering from sun, moisture, and air pollutants.

It is considered normal maintenance to re-apply the topcoat approximately every two years.



DOORABILITY TOOL



Whatever your style we have your fit. As a fiberglass entry door manufacturer we understand that your home is a reflection of who you are, that's why we have designed a visualizing tool that allows you to upload a photo of your home. Browse through our collection of door and glass options to truly visualize your perfect door.



EASY TO USE

VISUALIZE THE PERFECT DOOR IN YOUR HOME

SAVE, EMAIL OR SHARE YOUR CUSTOM DOOR

DRAW IN YOUR OPENING FOR AN ACCURATE VISUALIZATION

GO TO PLASTPROINC.COM/DOORABILITY





KNOW THE REALTY OF INDICTORY

5200 W. Century Blvd Los Angeles, CA 90045 PHONE: 800-779-0561 FAX: 310-693-8620 plastproinc.com

© 2014 Plastpro 2000, Inc. All Rights Reserved Part# MKLFLB2014 Printed APRIL 2014